

ORDER FOR SUPPLIES OR SERVICES										PAGE 1 OF 12	
1. CONTRACT PURCH ORDER/AGREEMENT NO. W52H09-04-P-0568			2. DELIVERY ORDER/CALL NO.		3. DATE OF ORDER/CALL (YYYYMMDD) 2004AUG17		4. REQUISITION/PURCH REQUEST NO. SEE SCHEDULE		5. PRIORITY DOA5		
6. ISSUED BY TACOM-ROCK ISLAND AMSTA-LC-CFA-B DAN MCGUIRE (309)782-7262 ROCK ISLAND IL 61299-7630 EMAIL: MCGUIRED@RIA.ARMY.MIL			CODE W52H09		7. ADMINISTERED BY (If other than 6) DCMA PHILADELPHIA 700 ROBBINS AVENUE BLDG 4-A PO BOX 11427 PHILADELPHIA PA 19111-0427 SCD: C PAS: NONE ADP PT: HQ0337			CODE S3915A		8. DELIVERY FOB <input checked="" type="checkbox"/> DESTINATION <input type="checkbox"/> OTHER (See Schedule if other)	
9. CONTRACTOR E.W. YOST COMPANY 340 N. WALES ROAD P.O. BOX 2136 BLUE BELL, PA. 19422-1324 NAME AND ADDRESS TYPE BUSINESS: Other Small Business Performing in U.S.			CODE 8H739		FACILITY		10. DELIVER TO FOB POINT BY (Date) (YYYYMMDD) SEE SCHEDULE			11. X IF BUSINESS IS <input checked="" type="checkbox"/> SMALL <input type="checkbox"/> SMALL DISADVANTAGED <input type="checkbox"/> WOMAN-OWNED	
14. SHIP TO SEE SCHEDULE			CODE		15. PAYMENT WILL BE MADE BY DFAS COLUMBUS CENTER NORTH ENTITLEMENT OPERATIONS PO BOX 182266 COLUMBUS OH 43218-2266			CODE HQ0337		MARK ALL PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2	
16. TYPE OF ORDER		DELIVERY/ CALL		THIS DELIVERY ORDER IS ISSUED ON ANOTHER GOVERNMENT AGENCY OR IN ACCORDANCE WITH AND SUBJECT TO TERMS AND CONDITIONS OF ABOVE NUMBERED CONTRACT.							
PURCHASE		X		Reference your <input type="checkbox"/> Oral <input checked="" type="checkbox"/> Written Quotation N/A, Dated 2004AUG04, furnish the following on terms specified herein.							
ACCEPTANCE. THE CONTRACTOR HEREBY ACCEPTS THE OFFER REPRESENTED BY THE NUMBERED PURCHASE ORDER AS IT MAY PREVIOUSLY HAVE BEEN OR IS NOW MODIFIED, SUBJECT TO ALL OF THE TERMS AND CONDITIONS SET FORTH, AND AGREES TO PERFORM THE SAME.											
<div style="display: flex; justify-content: space-between;"> <div>NAME OF CONTRACTOR</div> <div>SIGNATURE</div> <div>TYPED NAME AND TITLE</div> <div>DATE SIGNED (YYYYMMDD)</div> </div> <input type="checkbox"/> If this box is marked, supplier must sign Acceptance and return the following number of copies:											
17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE SEE SCHEDULE											
18. ITEM NO.		19. SCHEDULE OF SUPPLIES/SERVICE				20. QUANTITY ORDERED/ ACCEPTED*		21. UNIT	22. UNIT PRICE		23. AMOUNT
		SEE SCHEDULE CONTRACT TYPE: Firm-Fixed-Price KIND OF CONTRACT: Supply Contracts and Priced Orders									
* If quantity accepted by the Government is same as quantity ordered, indicate by X. If different, enter actual quantity accepted below quantity ordered and encircle.					24. UNITED STATES OF AMERICA MARY DONOVAN /SIGNED/ DONOVANM@RIA.ARMY.MIL (309)782-4895 BY: CONTRACTING/ORDERING OFFICER					25. TOTAL \$11,660.00	
27a. QUANTITY IN COLUMN 20 HAS BEEN <input type="checkbox"/> INSPECTED <input type="checkbox"/> RECEIVED <input type="checkbox"/> ACCEPTED, AND CONFORMS TO CONTRACT EXCEPT AS NOTED											
b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE						c. DATE (YYYYMMDD)		d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE			
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE						28. SHIP. NO.		29. D.O. VOUCHER NO.		30. INITIALS	
f. TELEPHONE NUMBER			g. E-MAIL ADDRESS			<input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL		32. PAID BY		33. AMOUNT VERIFIED CORRECT FOR	
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.						31. PAYMENT <input type="checkbox"/> COMPLETE <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL				34. CHECK NUMBER	
a. DATE (YYYYMMDD)			b. SIGNATURE AND TITLE OF CERTIFYING OFFICER							35. BILL OF LADING NO.	
37. RECEIVED AT		38. RECEIVED BY (Print)		39. DATE RECEIVED (YYYYMMDD)		40. TOTAL CONTAINERS		41. S/R ACCOUNT NUMBER		42. S/R VOUCHER NO.	

Name of Offeror or Contractor: E.W. YOST COMPANY

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 1015-01-436-3673 FSCM: 19206 PART NR: 11580023 SECURITY CLASS: Unclassified				
0001AA	<u>PRODUCTION QUANTITY WITHOUT FIRST ARTICLE/QV</u> NOUN: HANDLE,OPERATING,EL PRON: M141R928M1PRON AMD: 02ACRN: AA AMS CD: 07001168ATM <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: COMMERCIAL PACKAGING LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: OriginACCEPTANCE: Origin <u>Deliveries or Performance</u> DOC SUPPL <u>REL CD</u> <u>MILSTRIP</u> <u>ADDR</u> <u>SIG CD</u> <u>MARK FOR</u> <u>TP CD</u> 001 W52H094216A077 W25G1U J 1 <u>DEL REL CD</u> <u>QUANTITY</u> <u>DEL DATE</u> 001 220 18-OCT-2004 FOB POINT: Destination SHIP TO: <u>FREIGHT ADDRESS</u> (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001 <u>CONTRACT/DELIVERY ORDER NUMBER</u> W52H09-04-P-0568/0000	220	EA	\$ 53.00000	\$ 11,660.00

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W52H09-04-P-0568 MOD/AMD	Page 3 of 12
---------------------------	--	----------------------------

Name of Offeror or Contractor: E.W. YOST COMPANY

DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1	52.210-4501 TACOM-RI	DRAWINGS/SPECIFICATION	MAR/1988

In addition to the drawing(s) and/or specifications listed below, other documents which are part of this procurement and which apply to Preservation/Packaging/Packing and Inspection and Acceptance are contained elsewhere.

The following drawing(s) and specifications are applicable to this procurement.

Drawings and Specifications in accordance with enclosed Technical Data Package Listing - TDPL 11580023 with revisions in effect as of 13 MAY 2003 (except as follows):

SEE ATTACHMENT 001 FOR ENGINEERING EXCEPTIONS

(CS6100)

PACKAGING AND MARKING

2	52.211-4503	PACKAGING REQUIREMENTS (COMMERCIAL)	FEB/2004
---	-------------	-------------------------------------	----------

The preservation, packing, and marking requirements for the item identified above shall be accomplished in accordance with the performance requirements defined herein. The following Packaging requirements shall apply:

PRESERVATION: COMMERCIAL
LEVEL OF PACKING: Commercial
QUANTITY PER UNIT PACKAGE: 001

1 Packaging - Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year, provide for multiple handling, redistributuion and shipment by any mode and meet or exceed the following requirements.

1.1 Cleanliness - Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.

1.2 Preservation - Items susceptible to corrosion of deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.

1.3 Cushioning - Items requiring protection from physical and mechanical damage (e.g., fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handling and shipment.

2 Unit Package. A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box.

3 Unit Package Quantity. Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.

4 Intermediate Package - Intermediate packaging is required whenever one or more of the following conditions exists:

- a. the quantity is over one (1) gross of the same national stock number,
- b. use enhances handling and inventorying,
- c. the exterior surfaces of the unit pack is a bag of any type, regardless of size,
- d. the unit pack is less than 64 cubic inches,
- e. the weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

5. Packing:

5.1 Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.

5.2 Shipping Containers - The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.

6 Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads

<p align="center">CONTINUATION SHEET</p>	<p align="center">Reference No. of Document Being Continued</p> <p align="center">PIIN/SIIN W52H09-04-P-0568 MOD/AMD</p>	<p align="right">Page 4 of 12</p>
---	--	---

Name of Offeror or Contractor: E.W. YOST COMPANY

must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

7 Marking:

7.1 All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Change Notice 2, Date 10 Feb 04, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.

7.2 Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. The MSL will include both linear and 2D bar codes per the standard. The DD Form 250 or the commercial packing list shall have bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots; e.g., New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the standard, see paragraph 5.3.

7.3 Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".

7.4. Military Shipping Label. The following website (Computer Automated Transportation Tool, CAAT) provides detailed instructions for downloading and installing the Military Shipment Label/Issue Receipt Document (CATT MSL/IRRD) software that will generate a Military Shipping Label to include the required Code 39 and 2D(PDF417) bar codes on the label: http://www.asset-trak.com/catt/msl_irrd/mslirrdmain.htm. This program was developed by the Army and is free to those with government contracts. Two contractors have introduced a version of the MSL software that can be purchased by contractors. Both programs produce labels that appear to be in compliance with the requirements of MIL-STD-129P. Contractors are MILPAC (<http://milpac.com>) and Easysoft Corporation (<http://easysoftcorp.com>). Insure that the "ship to" and "mark for" in-the-clear delivery address is complete including: consignee's name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.

8. Hazardous Materials: In addition to the general instructions listed above;

8.1 Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

8.2 Packaging and marking for hazardous material shall comply with the requirements for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations

International Maritime Dangerous Goods Code (IMDG)

Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49

Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).

8.3 If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

8.4 A Product Material Safety Data Sheet (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

9 Heat Treatment and Marking of Wood Packaging Materials - All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure tractability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

10 Quality Assurance - The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.

11 SUPPLEMENTAL INSTRUCTIONS: N/A

End of Clause

(DS6421)

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W52H09-04-P-0568 MOD/AMD	Page 5 of 12
Name of Offeror or Contractor: E.W. YOST COMPANY		

INSPECTION AND ACCEPTANCE

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

http://www.arnet.gov/far/ or www.acq.osd.mil/dp/dars

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

(EA7001)

3	52.246-2	INSPECTION OF SUPPLIES - FIXED-PRICE	AUG/1996
4	52.246-11	HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT	FEB/1999
The Contractor shall comply with the higher-level quality standard below. The Contractor shall be fully compliant prior to award of this contract.			
Title	Number	Date	Tailoring
Quality Management Systems Requirements	ISO 9001:2000	13 DEC 2000	Tailored by excluding paragraphs 7.2, 7.3, 7.4, 7.5.1, and 7.5.2

(End of clause)

(EF6002)

- | | | | |
|---|-------------|---|----------|
| 5 | 52.246-4528 | REWORK AND REPAIR OF NONCONFORMING MATERIAL | MAY/1994 |
| | TACOM-RI | | |
- a. Rework and Repair are defined as follows:
- (1) Rework - The reprocessing of nonconforming material to make it conform completely to the drawings, specifications or contract requirements.
- (2) Repair - The reprocessing of nonconforming material in accordance with approved written procedures and operations to reduce, but not completely eliminate, the nonconformance. The purpose of repair is to bring nonconforming material into a usable condition. Repair is distinguished from rework in that the item after repair still does not completely conform to all of the applicable drawings, specifications or contract requirements.
- b. Rework procedures along with the associated inspection procedures shall be documented by the Contractor and submitted to the Government Quality Assurance Representative (QAR) for review prior to implementation. Rework procedures are subject to the QAR's disapproval.
- c. Repair procedures shall be documented by the Contractor and submitted on a Request for Deviation/Waiver, to the Contracting Officer for review and written approval prior to implementation.
- d. Whenever the Contractor submits a repair or rework procedure for Government review, the submission shall also include a description of the cause for the nonconformances and a description of the action taken or to be taken to prevent recurrence.
- e. The rework or repair procedure shall also contain a provision for reinspection which will take precedence over the Technical Data Package requirements and shall, in addition, provide the Government assurance that the reworked or repaired items have met reprocessing requirements.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W52H09-04-P-0568 MOD/AMD	Page 6 of 12
Name of Offeror or Contractor: E.W. YOST COMPANY		

(End of Clause)

(ES7012)

DELIVERIES OR PERFORMANCE

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

<http://www.arnet.gov/far/> or www.acq.osd.mil/dp/dars

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

(FA7001)

6	52.247-34	F.O.B. DESTINATION	NOV/1991
7	52.247-35	F.O.B. DESTINATION, WITHIN CONSIGNEE'S PREMISES	APR/1984
8	52.247-48	F.O.B. DESTINATION - EVIDENCE OF SHIPMENT	FEB/1999
9	52.247-58	LOADING, BLOCKING, AND BRACING OF FREIGHT CAR SHIPMENTS	APR/1984
10	52.211-16	VARIATION IN QUANTITY	APR/1984

(a) A variation in the quantity of any item called for by this contract will not be accepted unless the variation has been caused by conditions of loading, shipping, or packing, or allowances in manufacturing processes, and then only to the extent, if any, specified in paragraph (b) below.

(b) The permissible variation shall be limited to:

Zero percent (0%) increase

Zero percent (0%) decrease.

This increase or decrease shall apply to the total contract quantity.

(End of Clause)

(FF7020)

11	52.247-4531	COGNIZANT TRANSPORTATION OFFICER	MAY/1993
	TACOM-RI		

(a) The Contract Administration Office designated at the time of contract award, or the office servicing the point of shipment if subsequently designated by the original office, will be the contact point to which the contractor will:

(1) Submit, as necessary, DD Form 1659, Application for U.S. Government Bill(s) of Lading/Export Traffic Release, in triplicate at least ten days prior to date supplies will be available for shipment;

(2) Obtain shipping instructions as necessary for F.O.B. Destination delivery; and

(3) Furnish necessary information for MILSTRIP/MILSTAMP or other shipment documentation and movement control, including air and water terminal clearances.

(4) For FMS, at least 10 days in advance of actual shipping date, the contractor should request verification of 'Ship to' and 'Notification' address from the appropriate DCMA.

(b) The Contract Administration Office will provide to the contractor data necessary for shipment marking and freight routing.

(c) The contractor shall not ship directly to a Military air or water port terminal without authorization by the designated point

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W52H09-04-P-0568 MOD/AMD	Page 7 of 12
Name of Offeror or Contractor: E.W. YOST COMPANY		

of contact.

(End of Clause)

(FS7240)

Name of Offeror or Contractor: E.W. YOST COMPANY

CONTRACT ADMINISTRATION DATA

PRON/										JOB			
LINE	AMS	CD/	OBLG							ORDER	ACCOUNTING	OBLIGATED	
<u>ITEM</u>	<u>MIPR</u>	<u>ACRN</u>	<u>STAT</u>	<u>ACCOUNTING CLASSIFICATION</u>					<u>NUMBER</u>	<u>STATION</u>	<u>AMOUNT</u>		
0001AA	M141R928M1	AA	2	97	X4930AC6G	6D	26FB	S11116		W52H09	\$	11,660.00	
	07001168ATM												
											TOTAL	\$	11,660.00
SERVICE										ACCOUNTING		OBLIGATED	
<u>NAME</u>	<u>TOTAL BY ACRN</u>		<u>ACCOUNTING CLASSIFICATION</u>							<u>STATION</u>	<u>AMOUNT</u>		
Army		AA	97	X4930AC6G	6D	26FB	S11116			W52H09	\$	11,660.00	
											TOTAL	\$	11,660.00

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W52H09-04-P-0568 MOD/AMD	Page 9 of 12
Name of Offeror or Contractor: E.W. YOST COMPANY		

SPECIAL CONTRACT REQUIREMENTS

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

<http://www.arnet.gov/far/> or www.acq.osd.mil/dp/dars

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

(HA7001)

- | | | | |
|----|-------------------------|---|----------|
| 12 | 52.246-4500
TACOM-RI | MATERIAL INSPECTION & RECEIVING REPORTS (DD FORM 250) | NOV/2001 |
|----|-------------------------|---|----------|
- (a) Material Inspection and Receiving Report(s) (DD Form 250), are required to be prepared and furnished to the Government under the clause of this contract entitled 'Material Inspection and Receiving Report'. Distribution of reports to the Purchasing Office (in accordance with DoD FAR Supplement Appendix F) shall be accomplished electronically.
- (b) Two copies of the DD Form 250 are required to be submitted to the Purchasing Office. To satisfy this submission requirement electronically, the completed documents may be transmitted via electronic mail, or data fax. The electronic mail address for submission is mcguired@ria.army.mil. The data fax number for submission is (309) 782-2301, ATTN: Dan McGuire.
- (c) Any additional copies required in accordance with Appendix F may be submitted to the addresses identified below via the U. S. Postal Service:
- (1) The FMS/MAP copies may be submitted to:
N/A

(End of Clause)

(HS6510)

CONTRACT CLAUSES

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

<http://www.arnet.gov/far/> or www.acq.osd.mil/dp/dars

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

(IA7001)

13	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
14	52.211-15	DEFENSE PRIORITY AND ALLOCATION REQUIREMENTS	SEP/1990
15	52.222-19	CHILD LABOR - COOPERATION WITH AUTHORITIES AND REMEDIES	JUN/2004
16	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
17	52.222-35	EQUAL OPPORTUNITY FOR SPECIAL DISABLED VETERANS, VETERANS OF THE VIETNAM ERA, AND OTHER ELIGIBLE VETERANS	DEC/2001
18	52.222-37	EMPLOYMENT REPORTS ON SPECIAL DISABLED VETERANS, VETERANS OF THE VIETNAM ERA, AND OTHER ELIGIBLE VETERANS	DEC/2001
19	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER - CENTRAL CONTRACTOR REGISTRATION	OCT/2003
20	52.243-1	CHANGES - FIXED PRICE	AUG/1987

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W52H09-04-P-0568 MOD/AMD	Page 10 of 12
--------------------	---	---------------

Name of Offeror or Contractor: E.W. YOST COMPANY

21	52.246-1	CONTRACTOR INSPECTION REQUIREMENTS	APR/1984
22	252.225-7001	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM DFARS	APR/2003
23	252.225-7025	RESTRICTION ON ACQUISITION OF FORGINGS DFARS	APR/2003
24	252.246-7000	MATERIAL INSPECTION AND RECEIVING REPORT DFARS	MAR/2003
25	52.213-4	TERMS AND CONDITIONS - SIMPLIFIED ACQUISITIONS (OTHER THAN COMMERCIAL ITEMS)	JUL/2004

Paragraph (b)(1)(viii) is deleted from this clause.

Information to be inserted in Paragraph (c):

<http://www.arnet.gov/far/>
or
www.acq.osd.mil/dp/dars

(IF8001)

26	52.222-20	WALSH-HEALEY PUBLIC CONTRACTS ACT	DEC/1996
----	-----------	-----------------------------------	----------

(a) All stipulations required by the Act and regulations issued by the Secretary of Labor (41 CFR Chapter 50) are incorporated by reference. These stipulations are subject to all applicable rulings and interpretations of the Secretary of Labor that are now, or may hereafter, be in effect.

(b) All employees whose work relates to this contract shall be paid not less than the minimum wage prescribed by regulations issued by the Secretary of Labor (41 CFR 50-202.2). Learners, student learners, apprentices, and handicapped workers may be employed at less than the prescribed minimum wage (see 41 CFR 50-202.3) to the same extent that such employment is permitted under Section 14 of the Fair Labor Standards Act (41 U.S.C. 40).

(End of clause)

(IF7114)

27	52.252-6	AUTHORIZED DEVIATIONS IN CLAUSES	APR/1984
----	----------	----------------------------------	----------

(a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of ''(DEVIATION)'' after the date of the clause.

(b) The use in this solicitation or contract of any DOD FAR SUPPLEMENT (48 CFR Chapter 2) clause with an authorized deviation is indicated by the addition of ''(DEVIATION)'' after the name of the regulation.

(End of clause)

(IF7016)

28	252.211-7005	SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS DFARS	FEB/2003
----	--------------	---	----------

(a) Definition. ''SPI process,'' as used in this clause, means a management or manufacturing process that has been accepted previously by the department of defense under the Single Process Initiative (SPI) for use in lieu of specific military or Federal specification or standard at specific facilities. Under SPI, these processes are reviewed and accepted by a Management Council, which includes representatives from the Defense Contract Management Agency, the Defense Contract Audit Agency, and the military departments.

(b) Offerors are encouraged to propose SPI process in lieu of military or Federal specifications and standards cited in the solicitation. A listing of SPI process accepted at specific facilities is available via the Internet in Excel format at <http://www.dcma.mil/onebook/7.0/7.2/7.2.6/reports/modified.xls>

(c) An offeror proposing to use an SPI process in lieu of military or Federal specifications or standard cited in the solicitation shall--

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W52H09-04-P-0568 MOD/AMD	Page 11 of 12
Name of Offeror or Contractor: E.W. YOST COMPANY		

- (1) Identify the specific military or Federal specification or standard for which the SPI process has been accepted,
- (2) identify each facility at which the offeror proposed to use the specific SPI process in lieu of military or Federal specifications or standards cited in the solicitation;
- (3) Identify the contract line items, subline items, components, or elements affected by the SPI process; and
- (4) If the proposed SPI process has been accepted at the facility at which it is proposed for use, but is not yet listed at the Internet site specified in paragraph (b) of this clause, submit documentation of Department of Defense acceptance of the SPI process.
- (d) Absent a determination that an SPI process is not acceptable for this procurement, the Contractor shall use the following SPI processes in lieu of military or Federal specifications or standards:

(Offeror insert information for each SPI process)

SPI Process: _____

Facility: _____

Military or Federal Specification or Standard: _____

Affected Contract Line Item Number, Subline Item Number, Component, or Element: _____

- (e) If a prospective offeror wishes to obtain, prior to the time specified for receipt of offers, verification that an SPI process is an acceptable replacement for military or Federal specifications or standards required by the solicitation, the prospective offeror -
- (1) May submit the information required by paragraph (d) of this clause to the Contracting Officer prior to submission of an offer;but
- (2) Must submit the information to the Contracting Officer at least 10 working days prior to the date specified for receipt of offers.

(End of Clause)

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W52H09-04-P-0568 MOD/AMD	Page 12 of 12
Name of Offeror or Contractor: E.W. YOST COMPANY		

LIST OF ATTACHMENTS

<u>List of</u> <u>Addenda</u>	<u>Title</u>	<u>Date</u>	<u>Number</u> <u>of Pages</u>	<u>Transmitted By</u>
Attachment 001	CONTRACT C REQUIREMENTS - ENGINEERING EXCEPTIONS		001	